

Alphabetical Index

| | |
|-----------------------------------|-------|
| Angle, Flat Bar, Rod | 13 |
| Awning Rail | 5 |
| Carpet Bar | 8-9 |
| Castings | 15 |
| Channel and Cap (Vinyl) | 17-18 |
| Cove | 14 |
| Drip Edge | 6-7 |
| Extruded Tube | 11-12 |
| Horse & Enclosed Trailer Shapes | 20-35 |
| Insert Roof Edge | 4 |
| Miscellaneous Aluminum Shapes | 19 |
| Miscellaneous Vinyl Shapes | 18 |
| Mounting Rail | 8 |
| Nosing | 10 |
| Paneling & Wallboard Trim (Vinyl) | 16-17 |
| Plain-Face Roof Edge | 4 |
| Reverse Cove (Vinyl) | 17 |
| Seam Binders | 8-9 |
| Side Moulding | 6 |
| Stair Nosing | 8-9 |
| T-Nosing (Vinyl) | 17 |
| Tub Moulding | 14 |
| Wallboard Trim (Aluminum) | 16 |
| Z-Bar (Aluminum) | 19 |
| Z-Bar (Vinyl) | 19 |

Numerical Index

| | | | | | | | |
|----------|-------|----------|-------|------------|--------|----------|----|
| AA000017 | 9 | AA004210 | 11 | AA015213 | 30 | VE000223 | 17 |
| AA000019 | 10 | AA004274 | 11 | AA015737 | 26 | VE000239 | 17 |
| AA000020 | 10,20 | AA004490 | 9 | AA016254 | 27 | VF000017 | 18 |
| AA000021 | 10 | AA004631 | 13 | AA016689 | 25 | VF000048 | 17 |
| AA000024 | 10 | AA005165 | 6 | AA016971 | 6 | VF001030 | 18 |
| AA000031 | 10 | AA005273 | 11 | AA017069 | 21 | VR000010 | 16 |
| AA000049 | 14,21 | AA005383 | 22 | AA017394 | 29 | VR000014 | 17 |
| AA000054 | 8 | AA005384 | 30 | AA017395 | 29 | VR000143 | 18 |
| AA000068 | 9 | AA005421 | 19 | AA017396 | 25 | VR000197 | 17 |
| AA000069 | 13 | AA005690 | 4 | AA017397 | 29 | VR000298 | 17 |
| AA000070 | 16 | AA005743 | 19 | AA017398 | 26 | VR000394 | 18 |
| AA000071 | 16,21 | AA006439 | 8,20 | AA017399 | 26 | VR001224 | 19 |
| AA000089 | 13 | AA006756 | 25 | AA017400 | 27 | VR001361 | 17 |
| AA000122 | 10,20 | AA006981 | 6 | AA017401 | 21 | VR001362 | 16 |
| AA000132 | 10,20 | AA006984 | 35 | AA017426 | 27 | VR001386 | 18 |
| AA000149 | 14 | AA007004 | 14 | AA018059 | 26 | VR002033 | 18 |
| AA000199 | 13 | AA007006 | 14 | AA018110 | 23 | VR002034 | 18 |
| AA000213 | 8,20 | AA007007 | 6 | AA018352 | 26 | VR002336 | 18 |
| AA000398 | 5 | AA007008 | 4,9 | AA018374 | 29 | VR002391 | 18 |
| AA000421 | 13 | AA007021 | 9 | AA018522 | 26 | VR002392 | 18 |
| AA000494 | 13 | AA007251 | 5 | AA018570 | 26 | VR002393 | 17 |
| AA000614 | 13 | AA007829 | 33 | AA018919 | 31 | VR005005 | 17 |
| AA000621 | 10 | AA007859 | 21 | AA018920 | 32 | VR005006 | 16 |
| AA000662 | 14,21 | AA008149 | 13 | AA019110 | 24 | VR005007 | 16 |
| AA000682 | 13 | AA008153 | 13 | AA019344 | 24 | VR005008 | 16 |
| AA000688 | 6,20 | AA008156 | 13 | AA019384 | 25 | VR005091 | 16 |
| AA000788 | 7,20 | AA008162 | 19 | AA019468 | 29 | VS001358 | 14 |
| AA000860 | 12,29 | AA008168 | 12,30 | AA019472 | 31 | | |
| AA000870 | 16 | AA008169 | 13 | AA019492 | 24 | | |
| AA000871 | 16,22 | AA008222 | 12,30 | AA019650 | 23 | | |
| AA000898 | 5 | AA008468 | 34 | AA019735 | 7,24 | | |
| AA000908 | 9 | AA008469 | 8 | AA019770 | 29 | | |
| AA001260 | 13 | AA008660 | 31 | AA019905 | 24 | | |
| AA001529 | 13 | AA009154 | 7 | AA019906 | 28 | | |
| AA001561 | 5 | AA009155 | 7 | AA019907 | 28 | | |
| AA001579 | 5 | AA009215 | 11 | AA019981 | 7, 24 | | |
| AA001595 | 13 | AA010234 | 35 | AA020069 | 13 | | |
| AA001816 | 6 | AA010356 | 19 | AA020070 | 13 | | |
| AA001904 | 6,21 | AA010363 | 5 | AA020166 | 31 | | |
| AA001923 | 10,20 | AA010685 | 7 | AA020187 | 25 | | |
| AA001924 | 10,20 | AA010998 | 34 | AA020188 | 25 | | |
| AA001986 | 5,21 | AA011939 | 32 | AA020189 | 25 | | |
| AA001987 | 4 | AA012448 | 28 | AA020190 | 25 | | |
| AA001989 | 7 | AA012487 | 28 | AA020233 | 25 | | |
| AA001993 | 7 | AA012490 | 23 | AA020563 | 24 | | |
| AA001998 | 22 | AA012491 | 22 | AA020564 | 24 | | |
| AA002058 | 11 | AA012492 | 23 | AA020565 | 24 | | |
| AA002079 | 11 | AA012720 | 35 | AA020799 | 35 | | |
| AA002198 | 11 | AA012721 | 35 | FA014256 | 9 | | |
| AA002465 | 22 | AA012722 | 33 | FA014260 | 9 | | |
| AA002605 | 6,21 | AA012723 | 19 | FA014269 | 9 | | |
| AA002625 | 10,20 | AA012724 | 12,30 | FA014282 | 22 | | |
| AA002835 | 4 | AA012803 | 33 | FA014287 | 16, 21 | | |
| AA002880 | 19 | AA013260 | 27 | FA014292 | 8 | | |
| AA002951 | 4 | AA013261 | 27 | OP050419XX | 15 | | |
| AA003421 | 6 | AA013757 | 8 | OP050420 | 15 | | |
| AA003590 | 6,21 | AA014556 | 30 | OP05066408 | 15 | | |
| AA003823 | 11 | AA015078 | 30 | OP05066407 | 15 | | |
| AA003947 | 11 | AA015079 | 29 | OP05066406 | 15 | | |
| AA004182 | 11 | AA015168 | 29 | RF1315 | 21 | | |

Loxcreen's finishes include anodized finishes, electrolytic coloring (2-step), chemical finishes, mechanical finishes and liquid paint.

Loxcreen uses a sulfuric anodizing process. This is the most common process and it produces thin films suitable as pretreatment for organic and inorganic coatings.

Electrolytic coloring or 2-step anodizing is a two-step process. In the first step, the extrusion is clear anodized using conventional sulfuric anodizing. In the second step, the color is electrolytically deposited into the anodic pores. Colors range from champagne to black. 2-Step finish is much more resistant to fading than conventional color anodizing; however some variation in color is unavoidable because of process variables.

Our chemical finishes yield a matte or satin surface appearance (etched), or a bright mirror-like finish (bright dip).

Loxcreen's standard liquid coating is an acrylic paint. The aluminum extrusion is cleaned and treated with a conversion coating. The paint is then electrostatically applied and cured in a high temp oven. It is typically applied in a single coat and has excellent application and mar-resistant properties. Polycron, which is a polyester coating, is also available. Polyester coatings are high solid, meaning they typically contain 55 to 70 percent solids. Acrylic solids ratio is 40 percent. Both coatings have a dry film thickness of 0.8 to 1.2 mils.

Loxcreen's Anodic Coating Designations:

| <u>Designation</u> | <u>Film Thickness</u> |
|--------------------|-----------------------|
| 200 | .15 mils |
| 201 | .20 mils |
| 202 | .30 mils |
| Class II | .40 mils |
| Class I | .70 mils |

Note: Class I and Class II are compliant to AAMA Specification 611.98

Loxcreen's Liquid Acrylic Coating:

| <u>Specification</u> | <u>Dry Film Thickness</u> |
|----------------------|---------------------------|
| AAMA2603-02 | .80 mils minimum |

Loxcreen Tempers

T-1: Cooled from an elevated temperature and naturally aged to a substantially stable condition. Applies to products for which the rate of cooling from an elevated temperature, such as casting or extrusion, is such that their strength is increased by room temperature aging.

T-4: Solution heat-treated and naturally aged to a substantially stable condition. Applies to products that are not cold worked after solution heat-treatment, or in which the effect of cold work in flattening or straightening may not be recognized in mechanical property limits.


T-5: Cooled from an elevated temperature and then artificially aged. Applies to products that are cooled from an elevated temperature, such as casting or extrusion, and then artificially aged to improve mechanical properties or dimensional stability or both.

T-6: Solution heat-treated and then artificially aged. Applies to products that are not cold worked after solution heat-treatment, or in which the effect of cold work in flattening or straightening may not be recognized in mechanical property limits.


T-52: Cooled from an elevated temperature and artificially aged at an elevated temperature to produce a controlled temper range, typically used in bending or forming operations

Note: Color variation is inherent in the anodizing process. Some finishes are not colorfast. Consider end use (inside or outside) when selecting a finish.

Insert Roof Edge




AA002951** _ _ _ _ ..
Standard Drilling - PS




AA005690** _ _ _ _ ..
Standard Drilling - PS


Plain - Face Roof Edge



AA002835** _ _ _ _ ..
Standard Drilling - PS



AA001987** _ _ _ _ ..
Standard Drilling - PS



AA007008** _ _ _ _ ..
Standard Drilling - DA


This profile can be used as a roof edge in some applications, however, the typical application is as a stair nose.

Loxcreen's AA002951 is classified as the finest bending roof edge in the country. Over eight years of special design and engineering is represented in the profile. Loxcreen produces quality products for fast and easy application.


Our vinyl inserts VF000017 or VF001030 will fit shapes shown above.

** = finish or color
_ _ _ = length
.. = drill code


Awning Rail




AA007251** _ _ _ _ ..
Standard Drilling - DA




AA001579** _ _ _ _ ..
Standard Drilling - PS




AA000898** _ _ _ _ ..
Standard Drilling - PS




AA001561** _ _ _ _ ..
Standard Drilling - PS



AA010363** _ _ _ _ ..
Standard Drilling - ND




AA001986** _ _ _ _ ..
Standard Drilling - PS




AA000398** _ _ _ _ ..
Standard Drilling - DA

** = finish or color
_ _ _ = length
.. = drill code


Decorative Side Moulding




AA006981** _ _ _ _ ..
Standard Drilling - PX
(Retainer)




AA001816** _ _ _ _ ..
Standard Drilling - DA
Use insert VF000118




AA007007** _ _ _ _ ..
Standard Drilling - DA




AA005165** _ _ _ _ ..
Standard Drilling - PS



AA001904** _ _ _ _ ..
Standard Drilling - PS




AA003590** _ _ _ _ ..
Standard Drilling - PS




AA002605** _ _ _ _ ..
Standard Drilling - PS


Drip Edge



AA003421** _ _ _ _ ..
Standard Drilling - PS



AA000688** _ _ _ _ ..
Standard Drilling - ND




AA016971** _ _ _ _ ..
Standard Drilling - ND

** = finish or color


_ _ _ _ = length

.. = drill code


Drip Edge




AA010685** _ _ _ _ ..
Standard Drilling - ND




AA001989** _ _ _ _ ..
Standard Drilling - PS




AA000788** _ _ _ _ ..
Standard Drilling - ND




AA001993** _ _ _ _ ..
Standard Drilling - PS




AA009155** _ _ _ _ ..
Standard Drilling - PS



AA009154** _ _ _ _ ..
Standard Drilling - PS




AA019735** _ _ _ _ ..
Standard Drilling - ND



AA019981** _ _ _ _ ..
Standard Drilling - ND


** = finish or color
_ _ _ = length
.. = drill code

Mounting Rail




AA000054** _ _ _ _ ..


Carpet Bar, Seam Binder & Stair Nosing




AA000213** _ _ _ _ ..
Standard Drilling - DA




AA008469** _ _ _ _ ..
Standard Drilling - DE



FA014292** _ _ _ _ ..
Standard Drilling - D1




AA006439** _ _ _ _ ..
Standard Drilling - ND




AA013757** _ _ _ _ ..
Standard Drilling - DC

** = finish or color
_ _ _ = length
.. = drill code


Carpet Bar, Seam Binder & Stair Nosing




AA000908** _ _ _ _ ..
Standard Drilling - DA




AA007021** _ _ _ _ ..
Standard Drilling - DA




AA000017** _ _ _ _ ..
Standard Drilling - DA




FA014256** _ _ _ _ ..
Standard Drilling - D1




FA014260** _ _ _ _ ..




FA014269** _ _ _ _ ..



AA007008** _ _ _ _ ..
Standard Drilling - DA




AA000068** _ _ _ _ ..
Standard Drilling - DA




AA004490** _ _ _ _ ..
Standard Drilling - DX

** = finish or color
_ _ _ = length
.. = drill code


Nosing




AA000019** _ _ _ _ ..
Standard Drilling - DA




AA000621** _ _ _ _ ..
Standard Drilling - DA




AA000020** _ _ _ _ ..
Standard Drilling - DA




AA000024** _ _ _ _ ..
Standard Drilling - DA




AA000031** _ _ _ _ ..
Standard Drilling - DA




AA000021** _ _ _ _ ..
Standard Drilling - DA




AA001923** _ _ _ _ ..
Standard Drilling - DA




AA000122** _ _ _ _ ..
Standard Drilling - DA



AA001924** _ _ _ _ ..
Standard Drilling - DA




AA000132** _ _ _ _ ..
Standard Drilling - DA




AA002625** _ _ _ _ ..
Standard Drilling - ND

** = finish or color
_ _ _ = length
.. = drill code


Extruded Tube




AA002058** ___ ND




AA002198** ___ ND




AA004182** ___ ND




AA002079** ___ ND




AA005273** ___ ND




AA004274** ___ ND




AA009215** ___ ND



AA003947** ___ ND




AA003823** ___ ND




AA004210** ___ ND

** = finish or color
 ___ = length
 .. = drill code


Extruded Tube




AA000860** _ _ _ ND



AA008222** _ _ _ ND



AA008168** _ _ _ ND



AA012724** _ _ _ ND


** = finish or color
_ _ _ = length
.. = drill code

Angle, Flat Bar, Rod

The angles listed on this page are only a few of the numerous angles available to you from Loxcreen. Your Loxcreen representative will be happy to supply you with additional information on any aluminum or vinyl trim product not shown in this catalog. Our engineering department, with many years experience, has the technical skill to assist you in solving many production problems through new applications in aluminum and vinyl.


EXTRUDED ALUMINUM EQUAL & UNEQUAL LEG ANGLES

ANGLES – EQUAL LEGS




| Die Number | A-Inch | B-Inch | C-Inch |
|-----------------------|--------|--------|--------|
| AA000069** _ _ _ _ .. | .500 | .500 | .062 |
| AA020070** _ _ _ _ .. | .750 | .750 | .035 |
| AA000089** _ _ _ _ .. | .750 | .750 | .062 |
| AA020069** _ _ _ _ .. | 1.000 | 1.000 | .035 |
| AA000199** _ _ _ _ .. | 1.000 | 1.000 | .062 |
| AA000421** _ _ _ _ .. | 1.500 | 1.500 | .125 |
| AA000494** _ _ _ _ .. | 1.000 | 1.000 | .045 |
| AA001260** _ _ _ _ .. | 2.000 | 2.000 | .125 |

ANGLES – UNEQUAL LEGS




| Die Number | A-Inch | B-Inch | C-Inch |
|-----------------------|--------|--------|--------|
| AA000682** _ _ _ _ .. | .500 | 1.000 | .062 |
| AA001595** _ _ _ _ .. | 1.000 | 1.500 | .094 |
| AA001529** _ _ _ _ .. | 1.000 | 1.500 | .050 |
| AA004631** _ _ _ _ .. | 1.000 | 1.500 | .078 |
| AA008149** _ _ _ _ .. | 1.000 | 2.000 | .125 |

FLAT BAR



| Die Number | A-Inch | B-Inch |
|-----------------------|--------|--------|
| AA000614** _ _ _ _ .. | .125 | .750 |
| AA008169** _ _ _ _ .. | .375 | 2.000 |


ROUND ROD




| Die Number | A-Inch |
|-----------------------|--------|
| AA008156** _ _ _ _ .. | .500 |
| AA008153 _ _ _ _ .. | .625 |

** = finish or color
 _ _ _ _ = length
 .. = drill code


Cove




AA000149** _ _ _ _ ..
Standard Drilling - DA



AA000662** _ _ _ _ ..
Standard Drilling - ND




AA007006** _ _ _ _ ..
Standard Drilling - DA



AA000049** _ _ _ _ ..
Standard Drilling -ND


Tub Moulding

Aluminum



AA007004** _ _ _ _ ..
Standard Drilling - PA


Vinyl



VS0013589910**


** = finish or color
_ _ _ = length
.. = drill code

Chrome castings for AA007004 moulding




Part number for AA007004 castings
OP050419xx

Vinyl castings for VS001358**9910






OP050420VE (end)**



OP050420VC (corner)**
(Available in Colonial White or Almond)

Chrome Castings for
AA007006 Cove



Part number for AA007006:

OP05066408


OP05066407

OP05066406


xx = 01 = left
= 02 = right
= 03 = center

** = finish or color
___ = length
.. = drill code


Wall Board Trim - Aluminum




AA000071** _ _ _ _ ..
5/32" Material
Standard Drilling - SN




AA000070** _ _ _ _ ..
5/32" Material
Standard Drilling - GN



AA000870** _ _ _ _ ..
9/32" - 1/4" Material
Standard Drilling - GN




AA000871** _ _ _ _ ..
9/32" - 1/4" Material
Standard Drilling - SN




FA014287** _ _ _ _ ..
Standard Drilling - PS


Paneling & Wall Board Trim - Vinyl



VR005008** _ _ _ _ 5/32" material (25/box)



VR005007** _ _ _ _ 5/32" material (25/box)




VR005091** _ _ _ _ 3/32" material (100/box)
VR005006** _ _ _ _ 5/32" material (25/box)
VR000010** _ _ _ _ 3/16" material (100/box)
VR001362** _ _ _ _ 1/4" material (100/box)

** = finish or color


_ _ _ = length

.. = drill code

Paneling & Wall Board Trim - Vinyl




VR005005** _ _ _ 5/32" material (25/box)
VR001361** _ _ _ 1/4" material (100/box)




VR000014** _ _ _ 1/4" material (200/box)


Tee Nosing & Reverse Cove - Vinyl




VR000298** _ _ _ (Rigid)
 12" lengths (200/box)



VE000239** _ _ _ (Flexible Polyethylene)
 13/16" Tee (2000' RL)




VF000048** _ _ _ (Flexible)
 3/4" Reverse Cove
 (1500'2 - 750 Rolls)




VE000223** _ _ _ (Flexible Polyethylene)
 7/16" Reverse Cove
 (2000' Rolls)

Channel and Cap - Vinyl




VR000197** _ _ _ _ _
 (75/box - 8')




VR002393** _ _ _ _ _
 Channel for .375 material
 (200/box - 8')

** = finish or color
 _ _ _ = length
 .. = drill code

Channel and Cap - Vinyl




VR001386** _____
 Cap for .375 material
 (100/box - 8')




VR002392** _____
 Channel for .500 material
 (100/box - 8')


Miscellaneous Vinyl Shapes




VF000017** _____
 Flexible Insert
 (1500' / 2 - 750' Rolls')




VF001030BK** _____
 Flexible Insert
 (Black only 2000' / 2 - 1000' Rolls')




VR002034** _____
 Rigid Shoe
 (150/box - 10')




VR002336** _____
 Ceiling Tile Divider
 (150/box - 14')



VR002391** _____
 Cap for .3125 material
 (100/box - 12')




VR000143** _____
 (3/4 x 3/4; 100/box)
VR000394** _____
 (1 x 1; 100/box)
 (12' lengths)




VR002033** _____
 Outside Corner
 (75/box - 12')

** = finish or color
 _____ = length
 .. = drill code


Aluminum & Vinyl Z-Bar



AA002880** ___ ND
Z bar for 3/8" material




AA005743** ___ ND
Z bar for 5/8" material




VR001224** ___
(75/box - 10')
Z bar for 5/8" material


Miscellaneous Aluminum Shapes




AA005421** ___ ND
Channel



AA012723** ___ ND
Miscellaneous Channel



AA010356** ___ ND
"h" section




AA008162** ___ ND
Structural Channel


** = finish or color
___ = length
.. = drill code

Horse & Enclosed Trailer Shapes


Headbands & Window Trim




AA000020** _ _ _ _ ..
Standard Drilling - DA




AA001923** _ _ _ _ ..
Standard Drilling - DA




AA000122** _ _ _ _ ..
Standard Drilling - DA



AA000132** _ _ _ _ ..
Standard Drilling - DA




AA001924** _ _ _ _ ..
Standard Drilling - DA




AA002625** _ _ _ _ ..
Standard Drilling - ND

Gravel Plate Trim




AA000213** _ _ _ _ ..




AA006439** _ _ _ _ ..

Drip Edge



AA000788** _ _ _ _ ..
Standard Drilling - ND




AA000688** _ _ _ _ ..
Standard Drilling - ND


** = finish or color
_ _ _ = length
.. = drill code

Horse & Enclosed Trailer Shapes

V-Chrome




AA000662** _ _ _ _ ..
Standard Drilling - ND




AA000049** _ _ _ _ ..
Standard Drilling - ND

Drip Rail




AA017401** _ _ _ _ ND


Side Moulding



AA001904** _ _ _ _ ..




AA003590** _ _ _ _ ..



AA002605** _ _ _ _ ..

Awning Rail




AA001986** _ _ _ _ ..
Standard Drilling - PS


Gravel Guard

RF1315AE250** (size: 3", 5", 9", 12", 14", 18" wide)


Cap




1/16" Material
FA014287** _ _ _ _ PS



1/16" Material
AA007859** _ _ _ _ ND



5/32" Material
AA000071** _ _ _ _ ND




3/16" Material
AA017069** _ _ _ _ ND


** = finish or color
_ _ _ = length
.. = drill code

Horse & Enclosed Trailer Shapes


Cap




1/4" Material
FA014282** _ _ _ PS



9/32" Material
AA000871** _ _ _ ND




3/8" Material
AA002465** _ _ _ ND




1/2" Material
AA001998** _ _ _ ND

Side Rail



AA005383** _ _ _ ..
1/2" Side Rail




AA012491** _ _ _ ..
1/2" Side Rail


** = finish or color
_ _ _ = length
.. = drill code

Horse & Enclosed Trailer Shapes

Side Rail




AA012490** --- ..
3/4" Side Rail




AA012492** --- ..
1" Side Rail

Miscellaneous Rail



AA018110** --- ..
Rub Rail with Lip



AA019650** --- ..
Top & Bottom Rail


** = finish or color

--- = length


.. = drill code

Horse & Enclosed Trailer Shapes


Miscellaneous Rail




AA019492** _ _ _ _ ..
Econo Trailer Top Rail




AA019735** _ _ _ _ ..
Drip Rail




AA019344** _ _ _ _ ..
"J" Rail




AA019905** _ _ _ _ ..
Top Rail




AA019110** _ _ _ _ ..
Top Rail for Lights




AA019981** _ _ _ _ ..
Drip Edge with Insert
(Use insert VF001030)



AA020563** _ _ _ _ ..
Top Rail











AA020565** _ _ _ _ ..
Guard Trim with Leg



AA020564** _ _ _ _ ..
Screw Cover

** = finish or color
_ _ _ _ = length
.. = drill code


Horse & Enclosed Trailer Shapes




** = finish or color
 ___ = length
 .. = drill code

Horse & Enclosed Trailer Shapes


Trim




AA017399** ___ ND
Top/Side Trim (wall .045)
AA020067 (wall .035)




AA017398** ___ ND
Bottom Trim (wall .045)
AA020068 (wall .035)




AA018570** ___ ND
Small Bottom Trim




AA018522** ___ ND
Drop Gate Trim with Lip



AA018352** ___ ND
Small Roof/Top Trim



AA015737** ___ ND
Companion to AA017396 or
use as Top Trim





AA018059** ___ ND
Trim


** = finish or color
___ = length
.. = drill code

Horse & Enclosed Trailer Shapes

Trim




AA017400** ___ND
DOT Safety Tape Trim




AA016254** ___ND
1/2" Corner Trim

Hinge Systems



AA013260** ___ND
RV Hinge




AA013261** ___ND
RV Trim


** = finish or color
___ = length
.. = drill code

Horse & Enclosed Trailer Shapes

Hinge Systems




AA019906 _ _ _ ND**
Concession Trailer Hinge




AA019907 _ _ _ ND**
Concession Trailer Door Hinge

Door Frames




AA012487 _ _ _ ND**
Hatch Door Frame




AA012448 _ _ _ ND**
Door Frame

Horse & Enclosed Trailer Shapes


Door Frames




AA017394** ___ ND
Door Frame (Companion to AA017395)




AA015168** ___ ND
Door Frame



AA018374** ___ ND
Door Frame



AA019468** ___ ND
"H" Door Frame




AA017395** ___ ND
Door Frame
(Companion to AA017394)




AA017397** ___ ND
Door Frame


Miscellaneous Tube



AA019770** ___ ND
Door Frame



AA000860** ___ ND




AA015079** ___ ND


** = finish or color
___ = length
.. = drill code

Horse & Enclosed Trailer Shapes


Miscellaneous Tube




AA008222** __ _ND




AA008168** __ _ND




AA015213** __ _ND




AA012724** __ _ND



AA014556** __ _ND



AA005384** __ _ND




AA015078** __ _ND


** = finish or color
 __ _ = length
 .. = drill code

Horse & Enclosed Trailer Shapes



Miscellaneous Tube



AA020166** ___ ND Rectangular Tube




"P" Tube



** = finish or color
 ___ = length
 .. = drill code


Horse & Enclosed Trailer Shapes

"P" Tube



AA018920** _ _ _ ND
3" "P" Tube with Leg


Miscellaneous




AA011939** _ _ _ ND
Inside Corner

** = finish or color
_ _ _ = length
.. = drill code


Miscellaneous



AA012722 _ _ _ ND**
Door Standard



AA007829 _ _ _ ND**
Bottom Rail




AA012803 _ _ _ ND**
3" Radius Corner Top Rail


** = finish or color
_ _ _ = length
.. = drill code

Horse & Enclosed Trailer Shapes

Miscellaneous



AA008468** ___ND
Top Cap




AA010998** ___ND
Top Cap


** = finish or color
___ = length
.. = drill code

Horse & Enclosed Trailer Shapes


Miscellaneous



AA006984 __ _ _ ND**
Roof Bow




AA010234 __ _ _ ND**
3" Radius Corner



AA012720 __ _ _ ND**
7" Slat



AA012721 __ _ _ ND**
4" Slat



AA020799 __ _ _ ND**
4" Door Slat

** = finish or color
__ _ = length
.. = drill code

Terms & Conditions

1. CONTRACT BETWEEN BUYER AND SELLER: A written order and acknowledgment shall constitute the contract between Buyer and Seller, and said Contract may not be amended or rescinded except by written agreement by both parties, referring expressly to this contract.

2. WARRANTY: Seller warrants that merchandise sold to Buyer shall be free from defects in material and workmanship and shall conform to specifications. **EXCEPT FOR SUCH WARRANTY, THE SELLER DISCLAIMS ANY AND ALL OTHER WARRANTIES OF ANY KIND WHATSOEVER, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE AND INCLUDING BUT NOT LIMITED TO ANY ORAL OR WRITTEN DESCRIPTION OF THE PRODUCTS, THEIR CHARACTERISTICS OR PROPERTIES OTHER THAN THAT SPECIFICALLY STATED IN THE FOREGOING LIMITED WARRANTY. SELLER SHALL HAVE NO LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES AS A RESULT OF THE SALE OF ITS MERCHANDISE.** In the event that its merchandise is not as warranted, Buyer's sole remedy will be, at Seller's election, replacement of the merchandise or return of the purchase price. Prior written approval from the Seller must be secured before returning any merchandise for credit.

3. TOLERANCES: Standard Commercial tolerances apply unless otherwise specified.

4. PRICE: Prices are based on existing conditions and are subject to change, at our discretion, at any time prior to order shipment. Unless otherwise specified, all prices are based on quantity shipped per release, with Buyer accepting over-run or under-run on each individual item based on standard shipping tolerances. Exact control of quantity shipped must be specified as a requirement of said contract.

5. CREDIT: All shipments shall be subject to the approval of Seller's Credit Department. If, in the sole judgment of the Seller, the financial responsibility of the Buyer is unsatisfactory, or becomes impaired, or if Buyer fails to make any payment in accordance with the terms of the contract, then Seller may defer or decline to make any shipments except upon receipt of satisfactory security or cash payments in advance, or Seller may terminate the contract.

6. TAXES: All prices are subject to the net additions of all Federal, State, or Municipal taxes or charges which may be established or levied upon or assessed against the merchandise under contract.

7. SHIPMENTS: Unless otherwise specified, title to all merchandise, and the risk of loss, shall pass to the Buyer upon delivery by the Seller to the transportation carrier at the shipping point or the actual transfer of possession to the Buyer, whichever is earlier.

8. DELAYS: Seller cannot be held liable for loss or damage arising from delay in fulfilling or failure to fulfill any accepted order in accordance with its terms where such delay or failure is caused by shortage of materials, delays of carriers, embargoes, fires, floods, strikes, riots, wars, acts of God, or other causes beyond our control.

9. RETURNED MATERIAL AUTHORIZATION: Seller must be notified within 10 days after delivery of Buyer's request to return merchandise. Upon receipt of Seller's authorization, merchandise must be returned within 30 days in accordance with Seller's shipping instructions. Merchandise must be returned in exactly the same condition as in which it was received by Buyer. Handling and restocking fees will be charged to Buyer's account.

10. CANCELLATION: Said contract is subject to cancellation only upon Seller's acceptance of such cancellation in writing and the effective date of cancellation shall be the date of such acceptance. Payment of cancellation charges shall be made by Buyer upon receipt of statement of same. Cancellation charges shall not exceed the purchase price of the canceled portion of the contract.

11. EQUIPMENT: Any equipment (including jigs, process dies and tools, etc.) which Seller constructs or acquires specifically for use on Buyer's order shall be the sole property of Seller, whether or not they are charged to Buyer's account. Die charges are for exclusive use of extrusion tooling and are not subject to refund. Dies which indicate no activity for two years or more will be scrapped without notice and replacement cost will be for Buyer's account.

12. PATENT PROTECTION: Seller agrees to indemnify Buyer against any claims or liabilities for or by reason of alleged patent infringement arising from the manufacture or sale of any merchandise furnished Buyer hereunder, except where the specifications, process, design or method of manufacture originated with Buyer, in which event Buyer agrees to indemnify Seller in like manner.

THE *Loxcreen* COMPANY, INC.

Contact our Service Center near you for more information.

Corporate Office

1630 Old Dunbar Road / PO Box 4004 (29171) / West Columbia, South Carolina 29172
(803) 822-8200 / FAX (803) 822-8547
www.loxcreen.com

Loxcreen MetalSource®

TEXAS

PO Box 5126 / Arlington, Texas 76005 / 400 N. Great SW Parkway / Arlington, Texas 76011
Metro 640-4456 / All other areas (817) 649-2771 / FAX (817) 649-1760 / 800-222-4629

GEORGIA

6360 Button Gwinnett Drive / Atlanta, Georgia 30340 / (770) 448-7878 / FAX (770) 729-9478
800-843-5692

MISSOURI

1503 Harry S. Truman Blvd. / Caruthersville, Missouri 63830 / (573) 333-0098 / FAX (573) 333-0574
800-323-8314

OHIO

100 Westheimer Drive / Middletown, Ohio 45044 / (513) 539-2255 / FAX (513) 539-2288
800-432-4672

NORTH CAROLINA

PO Box 29 / 2300 Old Durham Road / Roxboro, North Carolina 27573 / (336) 599-3111 / FAX (336) 597-8821
800-682-9586

FLORIDA

1600 E. Lake Mary Boulevard / Sanford, Florida 32773 / (407) 322-1031 / FAX (407) 323-5918
Toll Free in Florida 800-330-5699

SOUTH CAROLINA

PO Box 4004 / West Columbia, SC 29171-4004 / 1630 Old Dunbar Road / West Columbia, SC 29172
(803) 822-1600 / FAX (803) 822-8070

ILLINOIS

1500 Scottsdale Court / Suite 100 / Elgin, IL 60123 / (847) 488-1007 / FAX (847) 488-1427 /
Toll Free 877-488-1007

SOME ITEMS MAY NOT BE CARRIED IN STOCK.
PRICES ARE AVAILABLE UPON REQUEST.

OP820301MH (Rev. 2 02/07)